

AMVAC
AGRICULTURAL
BULLETIN

DIBROM[®] 8 Emulsive

**TO CONTROL LYGUS IN SEED
ALFALFA**

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF COLORADO

EPA REG. No. 5481-479

EPA SLN No. CO-990011

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Do not apply this product through any type of irrigation system.

ALFALFA (Seed Only)

Lygus: Apply 1 to 1½ pints per acre on 7-day interval. Apply in 10 to 20 gals. if sprayed by ground equipment or in 3 to 5 gals. if sprayed by air. Do not apply more than three times per growing season.

Use of this product according to this labeling is deemed a non-food use by the Colorado Department of Agriculture, and as such is not to be used on fields producing alfalfa for livestock feed. Do not feed or graze alfalfa treated with DIBROM. Do not cut treated alfalfa for hay or for forage, or use harvested seed for sprouting. No portion of the treated field, including seed, seed screenings, hay, forage or stubble may be used for human or animal feed.

Do not expose bees to direct DIBROM application. DIBROM may be toxic to bees up to 12 hours after treatment. To minimize bee hazard during bloom, applications should be made at night before 11 p.m. Do not apply if weather conditions favor dew formation the night of application.



Follow all applicable directions, restrictions and precautions on the EPA-registered label.

This labeling must be in the possession of the users at the time of pesticide application.

FIFRA §24(c) Registrant: AMVAC Chemical Corporation
4100 E. Washington Boulevard
Los Angeles, CA 90023 U.S.A.