



## Same great control at half the rate

With Abba ULTRA® miticide/insecticide from AMVAC, **strawberry** growers have an innovative tool in the fight against a wide spectrum of damaging mites, including the two-spotted spider mite and strawberry spider mite.

Abba ULTRA is created with the most advanced formulation technology, providing exceptional efficacy while meeting clean air standards. With twice the concentration of abamectin than other formulations, rate conversion is easy.

### ABBA ULTRA QUICK FACTS:

Active Ingredient: Abamectin 3.74%  
 Activity: Translaminar movement for extended residual control  
 Mode of Action: Chloride Channel Activators  
 Group Insecticide Number: 6  
 Signal Word: Warning  
 Formulation: Emulsifiable Concentrate  
 Restricted Use: Yes  
 Packaging Info: 4x1 gal. case; 36 cases/144 gals. = pallet

Simply use half of the standard .15 abamectin rate. This innovative change with Abba ULTRA means half the storage, half the transportation and half the container disposal – saving users time and money without sacrificing performance.

An excellent foundational tool in a miticide spray program with rotation partners, Abba ULTRA provides proven performance at the right price.

PEST	USE RATE	APPLICATION GUIDELINES
Two-spotted spider mite Strawberry spider mite	8 fl. oz./A	Apply 8 fl. oz./A when mites are initially seen. Make 2 applications at intervals of 7 – 10 days and repeat this sequence as needed to maintain control (see Use Restrictions).  Wait at least 21 days after the second application before repeating application. To ensure maximum coverage of tops and undersides of foliage, adjust nozzle placement and spray volume. Abba ULTRA can be used without a wetting agent; however, use a nonionic surfactant to improve wetting of foliage and to spread out spray deposits.

### USE RESTRICTIONS:

Do not apply aerially.

Do not apply in less than 50 gallons of water per acre with conventional ground application equipment only except when using an electrostatic sprayer; do not use less than 10 gallons of water per acre with this type of spray equipment.

Wait at least 21 days after the second application before repeating application.

Do not apply more than 8 fl. oz./A of Abba ULTRA or any other foliarly applied abamectin product per application.

Do not apply more than 32 fl. oz./A of Abba ULTRA or any other foliarly applied abamectin product per cropping season.

Do not apply within 3 days of harvest.

For resistance management, do not use Abba ULTRA in strawberry nurseries.

For more information about Abba ULTRA and the entire AMVAC portfolio, please contact your retailer or PCA, visit us online at [amvac-chemical.com](http://amvac-chemical.com) or call 1-888-GO-AMVAC.

Please consult the full label for crop- and pest-specific recommendations, and follow all label recommendations.